

Windows Embedded Compact 7 Components SKU Comparison

Column and SKU listing Descriptions

"C7NR" SKU: Offers key foundational operating system components targeted towards portable navigation devices.

"C7E" SKU: Provides OEMs with a comprehensive package of operating components to develop a wide variety of general embedded devices.

"C7G" SKU: Provides Consumer Internet Device (CID) OEMs a competitive package that includes web browsing, media playback and messaging as well as foundational and connectivity technologies necessary for internet devices. These SKUs are ideal for set top boxes, portable media players, mobile internet devices, digital picture frames, digital media adapters, and eLearning devices. C7G SKU is available on Windows Embedded Compact 7.

"C7P" SKU: Offers the richest set of components and applications to enable complex consumer and enterprise class devices. C7P SKU can satisfy complex scenarios such as remote desktop connectivity, data sync via Active Sync, web browsing, media playback, email, contact management, and voice communication. It also includes a software development kit to allow devices to be customized and extended by end customers. C7P SKU is ideal for many device categories including thin clients, mobile handheld terminals, and industrial automation controllers.

"C7T" SKU: C7T provides RemoteFX out of the box as well as security technology like Kerberos, CredSSP and NTLM technology so that your thin clients are enterprise ready.

OS Components Table Key

- Indicates that the corresponding catalog item is included in that particular run-time license.
- Denotes New Item
- * Designates additional clarification appears at the end of the page

Catalog	C7NR	C7E	C7G	C7T	C7P
Applications - End User					
ActiveSync	●	●	●		●
AirSync					●
File Sync	●	●	●		●
Inbox Sync					●
Pocket Outlook Database Sync					●
CAB File Installer based on ConfigManager v1 and CSPs	●	●	●		●
CAB File Installer Medium Screen	●	●	●		●
CAB File Installer/Uninstaller	●	●	●		●
Help			●		●
Remote Desktop Connection				●	●
Remote Desktop Protocol (RDP)				●	●
Audio Playback Redirection				●	●
Cut/Copy/Paste Clipboard Redirection				●	●
File Storage Redirection				●	●
<i>Filtered File Storage Redirection</i>				●	●
License Information				●	●
Printer Redirection				●	●
Serial and Parallel Port Redirection				●	●
Smart Card Redirection				●	●
User Interface Dialog Boxes				●	●
Windows Network Projector				●	●
Sample Network Projector UI				●	●
Terminal Emulator					●
WordPad			●		●
Catalog	C7NR	C7E	C7G	C7T	C7P
Office Viewers					
Word viewer			●		●
Excel viewer			●		●
PowerPoint viewer			●		●
PDF Reader			●		●
Office Viewer Launchers					
Default UI			●		●
Finger Friendly UI			●		●
Flash 10.1			●		●
Applications and Services Development					
.NET Compact Framework 3.5	●	●	●		●
.NET Compact Framework 3.5	●	●	●		●
.NET Compact Framework 3.5 String Resources	●	●	●		●
<i>.Net Compact Framework 3.5 Localized String Resources</i>	●	●	●		●
String Resources Chinese(PRC)	●	●	●		●
String Resources Chinese(Taiwan)	●	●	●		●
String Resources French(France)	●	●	●		●
String Resources German(Germany)	●	●	●		●
String Resources Italian(Italy)	●	●	●		●
String Resources Japanese(Japan)	●	●	●		●
String Resources Korean(Korea)	●	●	●		●
String Resources Portuguese(Brazil)	●	●	●		●
String Resources Spanish(International Sort)	●	●	●		●
.NET Compact Framework 3.5 - Headless	●	●	●		●

.NET Compact Framework 3.5 String Resources - Headless	●	●	●		●
.Net Compact Framework 3.5 Localized String Resources - Headless	●	●	●		●
String Resources Chinese(PRC) - Headless	●	●	●		●
String Resources Chinese(Taiwan) - Headless	●	●	●		●
String Resources French(France) - Headless	●	●	●		●
String Resources German(Germany) - Headless	●	●	●		●
String Resources Italian(Italy) - Headless	●	●	●		●
String Resources Japanese(Japan) - Headless	●	●	●		●
String Resources Korean(Korea) - Headless	●	●	●		●
String Resources Portuguese(Brazil) - Headless	●	●	●		●
String Resources Spanish(International Sort) - Headless	●	●	●		●
OS Dependencies for .NET Compact Framework 3.5					
OS Dependencies for .NET Compact Framework 3.5	●	●	●		●
OS Dependencies for .NET Compact Framework 3.5 - Headless	●	●	●		●
Active Template Library (ATL)	●	●	●	●	●
C Libraries and Runtimes					
C++ Runtime Support for Exception Handling and Runtime Type Information	●	●	●	●	●
Full C Runtime	●	●	●	●	●
OEM Floating Point CRT (ARMV5 only)	●	●	●	●	●
OpenMP Runtime			●		●
Standard I/O	●	●	●	●	●
Standard I/O - ASCII	●	●	●	●	●
Standard String Formatted I/O - ASCII	●	●	●	●	●
CE Messaging API (MAPI)					●
Component Services (COM and DCOM)	●	●	●	●	●
Component Object Model	●	●	●	●	●
COM	●	●	●	●	●
CoCreateGuid functionality for OLE32	●	●	●	●	●
COM Storage	●	●	●	●	●
DCOM (No Remoting)	●	●	●		●
COM Storage	●	●	●		●
Minimal COM (OLE Support)	●	●	●	●	●
CoCreateGuid functionality for OLE32					
COM Storage					
Lightweight Directory Access Protocol (LDAP) Client	●	●	●	●	●
Message Queuing (MSMQ)	●	●	●	●	●
MSMQ ActiveX Wrappers	●	●	●	●	●
SOAP Reliable Messaging Protocol (SRMP)	●	●	●	●	●
Object Exchange Protocol (OBEX)	●	●	●	●	●
OBEX Client	●	●	●	●	●
OBEX Server	●	●	●	●	●
OBEX File Browser	●	●	●	●	●
OBEX Inbox	●	●	●	●	●
Pocket Outlook Object Model (POOM) API					●
SMS transport for CEMAPI					●
SQL Compact		●	●		●
SQL Compact		●	●		●
SQL Compact Managed Provider		●	●		●
Standard SDK for Windows Embedded Compact	●	●	●		●
String Safe Utility Functions	●	●	●	●	●
XML					
MSXML 3.0					
XML Core Services and Document Object Model (DOM)	●	●	●		●
XML Error Strings	●	●	●		●
XML HTTP	●	●	●		●
XML Query Languages (XQL)	●	●	●		●
XML Stylesheet Language Transformations (XSLT)	●	●	●		●
XML SAX	●	●	●		●
XML Minimal Parser	●	●	●	●	●
XmlLite	●	●	●	●	●
Communication Services and Networking					
Cellular					
CellCore					
All Modules	*	*	*		●
Cellular TAPI Service Provider	*	*	*		●
RIL Proxy	*	*	*		●
RIL Proxy Log	*	*	*		●
SIM Manager	*	*	*		●
SMS	*	*	*		●
WAP	*	*	*		●
Wireless WAN	*	*	*		●
Connection Manager					

Connection Manager All Modules	●	●	●	●	●
MTP Responder					
MTP Responder (minimal)		●	●		●
MTP Metadata Databases					
File MDB		●	●		●
Media MDB (media library)		●	●		●
Transports					
MTP IP Transport		●	●		●
MTP USB Transport		●	●		●
Networking - General					
Domain Discovery	●	●	●	●	●
Extended DNS Querying and Update (DNSAPI)	●	●	●	●	●
Secure DDNS	●	●	●	●	●
Extensible Authentication Protocol	●	●	●		●
Extensible Authentication Protocol Host	●	●	●		●
Internet Connection Sharing (ICS)	●	●	●	●	●
Gateway Logging	●	●	●	●	●
IPSec v4	●	●	●	●	●
Home Network Responder					
Link Layer Topology Discovery Responder			●		●
NDIS/TCPIP					
NDIS Packet Capturing DLL	●	●	●	●	●
NDIS User-mode I/O Protocol Driver	●	●	●	●	●
Network Bridging	●	●	●	●	●
Network Driver Architecture (NDIS)	●	●	●	●	●
Network Utilities (IpConfig, Ping, Route)	●	●	●	●	●
TCP/IP	●	●	●	●	●
IP Helper API	●	●	●	●	●
Universal Plug and Play (UPnP)					
Control Point API			●		●
Device Host API			●		●
Device Host API (Minimal Subset)			●		●
Sample UPnP IGD Schema Implementation			●		●
UPnP Audio-Video (AV) Device Control Protocol					
<i>AV Control Point API</i>			●		●
<i>AV Device API</i>			●		●
<i>AV Renderer Sample</i>			●		●
UPnP Tools			●		●
Web Services on Devices (WSD)					
Web Services on Devices		●	●		●
Web Services on Devices Samples		●	●		●
Windows Filter Platform	●	●	●	●	●
Windows Networking API/Redirector (SMB/CIFS)	●	●	●	●	●
Winsock Support	●	●	●	●	●
Networking - Local Area Network (LAN)					
Wired Local Area Network (802.3, 802.5)	●	●	●	●	●
Wireless LAN (802.11) STA - Automatic Configuration and 802.1x	●	●	●		●
Networking - Personal Area Network (PAN)	●	●	●	●	●
Bluetooth	●	●	●	●	●
Basic Package	●	●	●	●	●
<i>Bluetooth Profile Management APIs</i>	●	●	●	●	●
<i>Bluetooth Stack with Universal Loadable Driver</i>					
General Embedded Package					
<i>Bluetooth HID Device Support</i>	●	●	●	●	●
Bluetooth HID - Keyboard	●	●	●	●	●
Bluetooth HID - Mouse	●	●	●	●	●
<i>Bluetooth HS/HF and Audio Gateway Service</i>	●	●	●	●	●
<i>Bluetooth PAN</i>	●	●	●	●	●
<i>Bluetooth Settings UI</i>	●	●	●		●
Networking - Wide Area Network (WAN)					
Dial Up Networking (RAS/PPP)	●	●	●	●	●
AutoDial	●	●	●	●	●
Standard Modem Support for Dial Up Networking	●	●	●	●	●
Point-to-Point Protocol over Ethernet (PPPoE)	●	●	●	●	●
Telephony API (TAPI 2.0)	●	●	●	●	●
TAPI Service Provider - Generic Modem Support	●	●	●	●	●
Virtual Private Networking					
L2TP/IPSec	●	●	●	●	●
PPTP	●	●	●	●	●
Servers	●	●	●	●	●
Core Server Support	●	●	●	●	●
DHCP Server					
DHCP Server Service	●	●	●	●	●
File Server					
File Server (SMB/CIFS)	●	●	●	●	●

File Server Customizable Web UI	●	●	●	●	●
FTP Server	●	●	●	●	●
Print Server (SMB/CIFS)	●	●	●	●	●
RAS Server/PPTP Server (Incoming)	●	●	●	●	●
Simple Network Time Protocol (SNTP)					
Automatic DST Adjustment Service	●	●	●	●	●
SNTP Client Service	●	●	●	●	●
Telnet Server	●	●	●	●	●
Web Proxy	●	●	●	●	●
Web Server (HTTPD)	●	●	●	●	●
Active Server Pages (ASP) Support	●	●	●	●	●
JScript 5.8	●	●	●	●	●
VBScript 5.8	●	●	●	●	●
Web Server Administration ISAPI	●	●	●	●	●
WebDAV Support	●	●	●	●	●
Core OS Services					
Battery Driver	●	●	●	●	●
Debugging Tools					
Keyboard Test Application	●	●	●	●	●
Remote Display Application	●	●	●	●	●
Tiny Kernel Test Sample Application	●	●	●	●	●
Toolhelp API	●	●	●	●	●
Touch Driver Test Application	●	●	●	●	●
Device Manager	●	●	●	●	●
Display Support	●	●	●	●	●
Kernel Functionality					
Fiber API	●	●	●	●	●
FormatMessage API	●	●	●	●	●
FormatMessage API - System Error Messages	●	●	●	●	●
Memory Mapped Files	●	●	●	●	●
Message Queue - Point-to-Point	●	●	●	●	●
Target Control Support (Shell.exe)	●	●	●	●	●
NLED Service	●	●	●	●	●
Notification					
Non UI based notification	●	●	●	●	●
UI based notification	●	●	●	●	●
Notification LED Support	●	●	●	●	●
Parallel Port Support	●	●	●	●	●
Power Management					
Power Management (Full)	●	●	●	●	●
Power Management (Minimal)	●	●	●	●	●
Serial Port Support	●	●	●	●	●
Time Zone and DST Service	●	●	●	●	●
Automatic DST Adjustment Service	●	●	●	●	●
Time Zone Support	●	●	●	●	●
UI Proxy for Kernel-Mode Drivers	●	●	●	●	●
Windows Embedded Compact Driver Development Kit Support Library	●	●	●	●	●
Device Drivers					
Accelerometer Driver	●	●	●	●	●
Audio					
Ensoniq	●	●	●	●	●
Ensoniq ES1371	●	●	●	●	●
Wavedev2 Ensoniq	●	●	●	●	●
Wavedev2 Virtual	●	●	●	●	●
Backlight					
Backlight Driver	●	●	●	●	●
Bus Drivers					
I2C Bus	●	●	●	●	●
PCI Bus	●	●	●	●	●
Camera					
Camera Driver	●	●	●	●	●
Display					
ATI Rage XL Expert 98	●	●	●	●	●
Multiple-Monitor Support	●	●	●	●	●
NULL (Stub)	●	●	●	●	●
VGA Linear (Flat) Framebuffer	●	●	●	●	●
Input Devices					
Keyboard/Mouse	●	●	●	●	●
8042 PS/2 Keyboard/Mouse	●	●	●	●	●
Layout Manager	●	●	●	●	●
Networking					
Local Area Networking (LAN) Devices					
AR6002 Native 802.11 Miniport Driver	●	●	●	●	●
E100bex (PCI card)	●	●	●	●	●
NE 2000-compatible (ISA card)	●	●	●	●	●

NE 2000-compatible (PCI card)	●	●	●	●	●
RealTek 8185 Native WiFi	●	●	●	●	●
RealTekRTL8139	●	●	●	●	●
Wide Area Networking (WAN) Devices					
Asynctac NDIS Driver	●	●	●	●	●
SD					
SD Bus Driver	●	●	●	●	●
SD Memory	●	●	●	●	●
SD Standard Host Controller	●	●	●	●	●
Serial					
Com_Card	●	●	●	●	●
Com16550	●	●	●	●	●
Com16550 (Second Instance)	●	●	●	●	●
Com16550 (Third Instance)	●	●	●	●	●
Smart Card	●	●	●	●	●
Bull Systems SmarTLP3 - Serial Smart Card Reader	●	●	●	●	●
SCM Microsystems SCR300 - USB Smart Card Reader	●	●	●	●	●
Storage Devices					
ATAPI PCI Support	●	●	●	●	●
Basic ATAPI PCI CD/DVD-ROM Support	●	●	●	●	●
<i>ATAPI PCI/IDE Storage Block Driver</i>	●	●	●	●	●
<i>Promise Controller ATAPI driver</i>	●	●	●	●	●
MSFlash Drivers					
Flash MDD	●	●	●	●	●
Intel StrataFlash oR Driver	●	●	●	●	●
USB					
USB Function Support	●	●	●	●	●
<i>Netchip NET2280 USB Function Controller</i>	●	●	●	●	●
<i>Composite Function Driver</i>	●	●	●	●	●
<i>USBFN Mass Storage Client</i>	●	●	●	●	●
<i>USBFN RNDIS Client</i>	●	●	●	●	●
<i>USBFN Serial Client</i>	●	●	●	●	●
USB Host					
<i>USB Host Controllers (EHCI, OHCI, UHCI)</i>	●	●	●	●	●
<i>USB Audio Class Driver</i>	●	●	●	●	●
<i>USB Human Input Device (HID) Class</i>	●	●	●	●	●
USB HID Keyboard and Mouse	●	●	●	●	●
USB HID Keyboard Only	●	●	●	●	●
USB HID Mouse Only	●	●	●	●	●
<i>USB Printer Class Driver</i>	●	●	●	●	●
<i>USB RNDIS Class Driver</i>	●	●	●	●	●
<i>USB Storage Class Driver</i>	●	●	●	●	●
Device Management					
Simple Network Management Protocol (SNMP)	●	●	●	●	●
File Systems and Data Store					
Compression	●	●	●	●	●
Database Support	●	●	●	●	●
CEDB Database Engine	●	●	●	●	●
EDB Database Engine	●	●	●	●	●
File and Database Replication	●	●	●	●	●
Bit-based	●	●	●	●	●
File Cache Manager	●	●	●	●	●
File System - Internal					
RAM and ROM File System	●	●	●	●	●
ROM-only File System	●	●	●	●	●
Registry Storage					
Hive-based Registry	●	●	●	●	●
RAM-based Registry	●	●	●	●	●
Storage Manager	●	●	●	●	●
Binary Rom Image File System	●	●	●	●	●
CD/UDFS File System	●	●	●	●	●
exFAT File System	●	●	●	●	●
FAT File System	●	●	●	●	●
Partition Driver	●	●	●	●	●
Release Directory File System	●	●	●	●	●
Silent FAT File System UI	●	●	●	●	●
Storage Manager Control Panel Applet	●	●	●	●	●
Transaction-Safe FAT File System (TFAT)	●	●	●	●	●
System Password	●	●	●	●	●
Fonts					
Scripts	●	●	●	●	●
Arabic					
Arial	●	●	●	●	●
Arial Bold	●	●	●	●	●
Arial Bold Italic	●	●	●	●	●
Arial Italic	●	●	●	●	●

Courier New	●	●	●	●	●
Courier New Bold	●	●	●	●	●
Courier New Bold Italic	●	●	●	●	●
Courier New Italic	●	●	●	●	●
Microsoft San Serif	●	●	●	●	●
Microsoft Uighur	●	●	●	●	●
Segoe UI	●	●	●	●	●
Segoe UI Bold	●	●	●	●	●
Segoe UI Bold italic	●	●	●	●	●
Segoe UI Italic	●	●	●	●	●
Tahoma	●	●	●	●	●
Tahoma Bold	●	●	●	●	●
Times New Roman	●	●	●	●	●
Times New Roman Bold	●	●	●	●	●
Times New Roman Bold Italic	●	●	●	●	●
Times New Roman Italic	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Armenian					
Sylfaen	●	●	●	●	●
Bengali					
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Vrinda	●	●	●	●	●
Vrinda Bold	●	●	●	●	●
Cherokee					
Plantagenet Cherokee	●	●	●	●	●
Chinese (Simplified)					
Microsoft YaHei	●	●	●	●	●
Microsoft YaHei Bold	●	●	●	●	●
SimSun & NSimSun	●	●	●	●	●
SimSun-ExtB	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Chinese (Traditional)					
Microsoft JhengHei	●	●	●	●	●
Microsoft JhengHei Bold	●	●	●	●	●
MingLiU & PMingLiU & MingLiU_HKSCS	●	●	●	●	●
MingLiU-ExtB & PMingLiU-ExtB & MingLiU_HKSCS-ExtB	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Cyrillic					
Arial	●	●	●	●	●
Arial Bold	●	●	●	●	●
Arial Bold Italic	●	●	●	●	●
Arial Italic	●	●	●	●	●
Comic Sans MS	●	●	●	●	●
Comic Sans MS Bold	●	●	●	●	●
Courier New	●	●	●	●	●
Courier New Bold	●	●	●	●	●
Courier New Bold Italic	●	●	●	●	●
Courier New Italic	●	●	●	●	●
Georgia	●	●	●	●	●
Georgia Bold	●	●	●	●	●
Georgia Bold Italic	●	●	●	●	●
Georgia Italic	●	●	●	●	●
Impact	●	●	●	●	●
Microsoft San Serif	●	●	●	●	●
Segoe UI	●	●	●	●	●
Segoe UI Bold	●	●	●	●	●
Segoe UI Bold italic	●	●	●	●	●
Segoe UI Italic	●	●	●	●	●
Segoe UI Light	●	●	●	●	●
Segoe UI Semibold	●	●	●	●	●
Tahoma	●	●	●	●	●
Tahoma Bold	●	●	●	●	●
Times New Roman	●	●	●	●	●
Times New Roman Bold	●	●	●	●	●
Times New Roman Bold Italic	●	●	●	●	●
Times New Roman Italic	●	●	●	●	●
Trebuchet MS	●	●	●	●	●
Trebuchet MS Bold	●	●	●	●	●
Trebuchet MS Bold Italic	●	●	●	●	●
Trebuchet MS Italic	●	●	●	●	●
Verdana	●	●	●	●	●
Verdana Bold	●	●	●	●	●
Verdana Bold Italic	●	●	●	●	●
Verdana Italic	●	●	●	●	●
Devanagari					

Mangal	●	●	●	●	●
Mangal Bold	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Divehi					
MV Boli	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Ethiopic					
Nyala	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Georgian					
Sylfaen	●	●	●	●	●
Greek					
Arial	●	●	●	●	●
Arial Bold	●	●	●	●	●
Arial Bold Italic	●	●	●	●	●
Arial Italic	●	●	●	●	●
Comic Sans MS	●	●	●	●	●
Comic Sans MS Bold	●	●	●	●	●
Courier New	●	●	●	●	●
Courier New Bold	●	●	●	●	●
Courier New Bold Italic	●	●	●	●	●
Courier New Italic	●	●	●	●	●
Georgia	●	●	●	●	●
Georgia Bold	●	●	●	●	●
Georgia Bold Italic	●	●	●	●	●
Georgia Italic	●	●	●	●	●
Impact	●	●	●	●	●
Microsoft San Serif	●	●	●	●	●
Segoe UI	●	●	●	●	●
Segoe UI Bold	●	●	●	●	●
Segoe UI Bold italic	●	●	●	●	●
Segoe UI Italic	●	●	●	●	●
Segoe UI Light	●	●	●	●	●
Segoe UI Semibold	●	●	●	●	●
Tahoma	●	●	●	●	●
Tahoma Bold	●	●	●	●	●
Times New Roman	●	●	●	●	●
Times New Roman Bold	●	●	●	●	●
Times New Roman Bold Italic	●	●	●	●	●
Times New Roman Italic	●	●	●	●	●
Trebuchet MS	●	●	●	●	●
Trebuchet MS Bold	●	●	●	●	●
Trebuchet MS Bold Italic	●	●	●	●	●
Trebuchet MS Italic	●	●	●	●	●
Verdana	●	●	●	●	●
Verdana Bold	●	●	●	●	●
Verdana Bold Italic	●	●	●	●	●
Verdana Italic	●	●	●	●	●
Gujarati					
Shruti	●	●	●	●	●
Shruti Bold	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Gurmukhi					
Raavi	●	●	●	●	●
Raavi Bold	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Hebrew					
Arial	●	●	●	●	●
Arial Bold	●	●	●	●	●
Arial Bold Italic	●	●	●	●	●
Arial Italic	●	●	●	●	●
Courier New	●	●	●	●	●
Courier New Bold	●	●	●	●	●
Courier New Bold Italic	●	●	●	●	●
Courier New Italic	●	●	●	●	●
Microsoft San Serif	●	●	●	●	●
Tahoma	●	●	●	●	●
Tahoma Bold	●	●	●	●	●
Times New Roman	●	●	●	●	●
Times New Roman Bold	●	●	●	●	●
Times New Roman Bold Italic	●	●	●	●	●
Times New Roman Italic	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Inuktitut					
Euphemia	●	●	●	●	●
Japanese					

Meiryo & Meiryo UI	●	●	●	●	●
Meiryo Bold & Meiryo UI Bold	●	●	●	●	●
MS Gothic & MS PGothic & MS UI Gothic	●	●	●	●	●
MS Gothic 12 and 16 Point	●	●	●	●	●
MS Mincho & MS PMincho	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Kannada					
Tunga	●	●	●	●	●
Tunga Bold	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Khmer					
Khmer UI	●	●	●	●	●
Khmer UI Bold	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Korean					
Malgun Gothic	●	●	●	●	●
Malgun Gothic Bold	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Lao					
Lao UI	●	●	●	●	●
Lao UI Bold	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Latin					
Arial	●	●	●	●	●
Arial Bold	●	●	●	●	●
Arial Bold Italic	●	●	●	●	●
Arial Italic	●	●	●	●	●
Comic Sans MS	●	●	●	●	●
Comic Sans MS Bold	●	●	●	●	●
Courier New	●	●	●	●	●
Courier New Bold	●	●	●	●	●
Courier New Bold Italic	●	●	●	●	●
Courier New Italic	●	●	●	●	●
Ebrima	●	●	●	●	●
Ebrima Bold	●	●	●	●	●
Georgia	●	●	●	●	●
Georgia Bold	●	●	●	●	●
Georgia Bold Italic	●	●	●	●	●
Georgia Italic	●	●	●	●	●
Impact	●	●	●	●	●
Microsoft San Serif	●	●	●	●	●
Segoe UI	●	●	●	●	●
Segoe UI Bold	●	●	●	●	●
Segoe UI Bold italic	●	●	●	●	●
Segoe UI Italic	●	●	●	●	●
Segoe UI Light	●	●	●	●	●
Segoe UI Semibold	●	●	●	●	●
Tahoma	●	●	●	●	●
Tahoma Bold	●	●	●	●	●
Times New Roman	●	●	●	●	●
Times New Roman Bold	●	●	●	●	●
Times New Roman Bold Italic	●	●	●	●	●
Times New Roman Italic	●	●	●	●	●
Trebuchet MS	●	●	●	●	●
Trebuchet MS Bold	●	●	●	●	●
Trebuchet MS Bold Italic	●	●	●	●	●
Trebuchet MS Italic	●	●	●	●	●
Verdana	●	●	●	●	●
Verdana Bold	●	●	●	●	●
Verdana Bold Italic	●	●	●	●	●
Verdana Italic	●	●	●	●	●
Malayalam					
Kartika	●	●	●	●	●
Kartika Bold	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Mongolian					
Mongolian Baiti	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
New Tai Lue					
Microsoft New Tai Lue	●	●	●	●	●
Microsoft New Tai Lue Bold	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
N'Ko, Tamazight and Vai					
Ebrima	●	●	●	●	●
Ebrima Bold	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●

Oriya					
Kalinga	●	●	●	●	●
Kalinga Bold	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
PhagsPa					
Microsoft PhagsPa	●	●	●	●	●
Microsoft PhagsPa Bold	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Sinhala					
Iskoola Pota	●	●	●	●	●
Iskoola Pota Bold	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Syriac					
Estrangelo Edessa	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Tai Le					
Microsoft Tai Le	●	●	●	●	●
Microsoft Tai Le Bold	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Tamil					
Latha	●	●	●	●	●
Latha Bold	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Telugu					
Gautami	●	●	●	●	●
Gautami Bold	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Thai					
Microsoft San Serif	●	●	●	●	●
Tahoma	●	●	●	●	●
Tahoma Bold	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Tibetan					
Microsoft Himalaya	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Yi					
Microsoft Yi Baiti	●	●	●	●	●
Symbol	●	●	●	●	●
UI	●	●	●	●	●
Microsoft San Serif	●	●	●	●	●
Segoe UI					
Segoe UI	●	●	●	●	●
Segoe UI Bold	●	●	●	●	●
Segoe UI Bold italic	●	●	●	●	●
Segoe UI Italic	●	●	●	●	●
Segoe UI Light	●	●	●	●	●
Segoe UI Semibold	●	●	●	●	●
Tahoma					
Tahoma	●	●	●	●	●
Tahoma Bold	●	●	●	●	●
Web Fonts					
Arial					
Arial	●	●	●	●	●
Arial Black	●	●	●	●	●
Arial Bold	●	●	●	●	●
Arial Bold Italic	●	●	●	●	●
Arial Italic	●	●	●	●	●
Comic Sans MS					
Comic Sans MS	●	●	●	●	●
Comic Sans MS Bold	●	●	●	●	●
Courier New					
Courier New	●	●	●	●	●
Courier New Bold	●	●	●	●	●
Courier New Bold Italic	●	●	●	●	●
Courier New Italic	●	●	●	●	●
Georgia					
Georgia	●	●	●	●	●
Georgia Bold	●	●	●	●	●
Georgia Bold Italic	●	●	●	●	●
Georgia Italic	●	●	●	●	●
Lucida Sans Unicode	●	●	●	●	●
Times New Roman					
Times New Roman	●	●	●	●	●
Times New Roman Bold	●	●	●	●	●
Times New Roman Bold Italic	●	●	●	●	●
Times New Roman Italic	●	●	●	●	●

Trebuchet MS					
Trebuchet MS	●	●	●	●	●
Trebuchet MS Bold	●	●	●	●	●
Trebuchet MS Bold Italic	●	●	●	●	●
Trebuchet MS Italic	●	●	●	●	●
Verdana					
Verdana	●	●	●	●	●
Verdana Bold	●	●	●	●	●
Verdana Bold Italic	●	●	●	●	●
Verdana Italic	●	●	●	●	●
Webdings	●	●	●	●	●
Wingdings	●	●	●	●	●
Graphics and Multimedia Technologies					
Audio					
Audio Compression Manager	●	●	●	●	●
GSM 6.10 Codec	●	●	●	●	●
MSFilter Codec	●	●	●	●	●
Audio Routing Manager	●	●	●	●	●
Waveform Audio	●	●	●	●	●
Graphics					
Alphablend API (GDI version)	●	●	●	●	●
DirectDraw	●	●	●	●	●
Gradient Fill Support	●	●	●	●	●
Imaging					
Still Image Codec Support (Encode and Decode)	●	●	●	●	●
Still Image Decoders					
<i>BMP Decoder</i>	●	●	●	●	●
<i>GIF Decoder</i>	●	●	●	●	●
<i>ICO Decoder</i>	●	●	●	●	●
<i>JPG Decoder</i>	●	●	●	●	●
<i>PNG Decoder</i>	●	●	●	●	●
<i>TIFF Decoder</i>	●	●	●	●	●
Still Image Encoders					
<i>BMP Encoder</i>	●	●	●	●	●
<i>GIF Encoder</i>	●	●	●	●	●
<i>JPG Encoder</i>	●	●	●	●	●
<i>PNG Encoder</i>	●	●	●	●	●
<i>TIFF Encoder</i>	●	●	●	●	●
Multiple Monitor Support	●	●	●		●
Raster Fonts Support	●	●	●	●	●
V1 Font Compatibility	●	●	●	●	●
Windows Codecs					
Windows Codecs	●	●	●	●	●
Media					
Audio Codecs and Renderers					
G.711 Audio Codec	●	●	●	●	●
GSM 6.10 Audio Codec	●	●	●	●	●
IMA ADPCM Audio Codec	●	●	●	●	●
MP3 Codec	●	●	●	●	●
MPEG-1 Layer 1 and 2 Audio Codec	●	●	●	●	●
MS ADPCM Audio Codec	●	●	●	●	●
Wave/AIFF/au/snd File Parser	●	●	●	●	●
Waveform Audio Renderer	●	●	●	●	●
WMA Codec	●	●	●		●
WMA Voice Codec	●	●	●		●
WMAPro over S/PDIF Packetizer	●	●	●	●	●
Digital Rights Management					
DRM License Acquisition OCX	●	●	●		●
Windows Media DRM 10 PD	●	●	●	●	●
WM DRM 10 for Networked Devices					
<i>Windows Media DRM 10 ND</i>	●	●	●		●
DirectShow					
ACM Wrapper Filter	●	●	●	●	●
DirectShow Core	●	●	●	●	●
DirectShow Display	●	●	●	●	●
DirectShow Error Messages	●	●	●	●	●
DirectShow MIDI Parser Filter	●	●	●	●	●
DirectShow MIDI Synthesizer Filter	●	●	●	●	●
DirectShow Video Capture	●	●	●	●	●
DMO Wrapper Filter	●	●	●	●	●
HTTP Streamer Filter	●	●	●	●	●
Local File Streamer	●	●	●	●	●
Still Image Decoder Filter	●	●	●	●	●
Media Formats	●	●	●	●	●
AVI Filter	●	●	●	●	●
MPEG-1 Parser/Splitter	●	●	●	●	●

MPEG-2 Demultiplexer	●	●	●	●	●
MPEG-4 Demultiplexer	●	●	●	●	●
Media Library					
Media Library		●	●		●
Media Renderer					
Media Renderer	●	●	●	●	●
Streaming Media Playback	●		●		●
Video Codecs and Renderers					
DirectShow Video Mixing Renderer	●	●	●	●	●
MPEG-1 Video Codec	●	●	●	●	●
MS RLE Video Codec	●	●	●	●	●
Video/Image Compression Manager	●	●	●	●	●
WM ASF Reader Filter					
Windows Media Player			●		●
Windows Media Player Applications					
<i>Windows Music Player</i>			●		●
<i>Windows Photo Viewer</i>			●		●
<i>Windows Video Player</i>			●		●
Windows Media Player OCX			●		●
Windows Media Player OCX v7.0			●		●
Windows Media Technologies			●		●
<i>ASX v1 and M3U File Support</i>			●		●
<i>ASX v2 File Support</i>			●		●
<i>ASX v3 File Support</i>			●		●
<i>Windows Media Multicast and Multi-Bit Rate</i>			●		●
<i>Windows Media Streaming from Local Storage</i>			●		●
<i>Windows Media Streaming over HTTP</i>			●		●
<i>Windows Media Streaming over MMS</i>			●		●
WMA and MP3 Local Playback	●		●		●
WMA and MP3 Streaming			●		●
Media Content			●		●
International					
Code Page	●	●	●	●	●
GB18030 Data Converter	●	●	●	●	●
Input Method Manager (IMM)	●	●	●	●	●
Language					
Afrikaans					
Locale					
<i>Afrikaans</i>	●	●	●	●	●
<i>Afrikaans (South Africa)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Albanian					
Locale					
<i>Albanian</i>	●	●	●	●	●
<i>Albanian (Albania)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Alsatian					
Locale					
<i>Alsatian</i>	●	●	●	●	●
<i>Alsatian (France)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Amharic					
Locale					
<i>Amharic</i>	●	●	●	●	●
<i>Amharic (Ethiopia)</i>	●	●	●	●	●
UI Font					
<i>Nyala</i>	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Arabic					
Keyboard					
<i>Arabic Keyboard (101)</i>	●	●	●	●	●
Locale					
<i>Arabic</i>	●	●	●	●	●
<i>Arabic (Algeria)</i>	●	●	●	●	●
<i>Arabic (Bahrain)</i>	●	●	●	●	●
<i>Arabic (Egypt)</i>	●	●	●	●	●
<i>Arabic (Iraq)</i>	●	●	●	●	●
<i>Arabic (Jordan)</i>	●	●	●	●	●
<i>Arabic (Kuwait)</i>	●	●	●	●	●
<i>Arabic (Lebaon)</i>	●	●	●	●	●

Arabic (Libya)	●	●	●	●	●
Arabic (Morocco)	●	●	●	●	●
Arabic (Oman)	●	●	●	●	●
Arabic (Qatar)	●	●	●	●	●
Arabic (Saudi Arabia)	●	●	●	●	●
Arabic (Syria)	●	●	●	●	●
Arabic (Tunisia)	●	●	●	●	●
Arabic (U.A.E.)	●	●	●	●	●
Arabic (Yemen)	●	●	●	●	●
UI Font					
Segoe UI	●	●	●	●	●
Segoe UI Bold	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Armenian					
Locale					
Armenian	●	●	●	●	●
Armenian (Armenia)	●	●	●	●	●
UI Font					
Sylfaen	●	●	●	●	●
Assamese					
Locale					
Assamese	●	●	●	●	●
Assamese (India)	●	●	●	●	●
UI Font					
Vrinda	●	●	●	●	●
Vrinda Bold	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Azeri					
Locale					
Azeri	●	●	●	●	●
Azeri (Cyrillic)	●	●	●	●	●
Azeri (Cyrillic, Azerbaijan)	●	●	●	●	●
Azeri (Latin)	●	●	●	●	●
Azeri (Latin, Azerbaijan)	●	●	●	●	●
UI Font					
Segoe UI	●	●	●	●	●
Segoe UI Bold	●	●	●	●	●
Bashkir					
Locale					
Bashkir	●	●	●	●	●
Bashkir (Russia)	●	●	●	●	●
UI Font					
Segoe UI	●	●	●	●	●
Segoe UI Bold	●	●	●	●	●
Basque					
Locale					
Basque	●	●	●	●	●
Basque (Basque)	●	●	●	●	●
UI Font					
Segoe UI	●	●	●	●	●
Segoe UI Bold	●	●	●	●	●
Belarusian					
Locale					
Belarusian	●	●	●	●	●
Belarusian (Belarus)	●	●	●	●	●
UI Font					
Segoe UI	●	●	●	●	●
Segoe UI Bold	●	●	●	●	●
Bengali					
Locale					
Bengali	●	●	●	●	●
Bengali (Bangladesh)	●	●	●	●	●
Bengali (India)	●	●	●	●	●
UI Font					
Vrinda	●	●	●	●	●
Vrinda Bold	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Bosnian					
Locale					
Bosnian	●	●	●	●	●
Bosnian (Cyrillic)	●	●	●	●	●
Bosnian (Cyrillic, Bosnia and Herzegovina)	●	●	●	●	●
Bosnian (Latin)	●	●	●	●	●
Bosnian (Latin, Bosnia and Herzegovina)	●	●	●	●	●
UI Font					
Segoe UI	●	●	●	●	●

<i>Segoe UI Bold</i>	●	●	●	●	●
Breton					
Locale					
<i>Breton</i>	●	●	●	●	●
<i>Breton (France)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Bulgarian					
Locale					
<i>Bulgarian</i>	●	●	●	●	●
<i>Bulgarian (Bulgaria)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Catalan					
Locale					
<i>Catalan</i>	●	●	●	●	●
<i>Catalan (Catalan)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Cherokee					
UI Font					
<i>Plantagenet Cherokee</i>	●	●	●	●	●
Chinese (Simplified)					
Code Page					
<i>GB18030 Data Converter</i>	●	●	●	●	●
East Asian Edit Control	●	●	●	●	●
East Asian Word Wrap	●	●	●	●	●
Input Method Editor					
<i>MSPY 3.0 for Windows Embedded Compact</i>	●	●	●	●	●
Double Spelling (Shuang Pin) soft keyboard - Large	●	●	●	●	●
Double Spelling (Shuang Pin) soft keyboard - Small	●	●	●	●	●
MSPY 3.0 for Windows Embedded Compact Database (Choose 1)					
1.1 MB - Minimal Database	●	●	●	●	●
1.3 MB - Compact Database	●	●	●	●	●
1.7 MB - Standard Database	●	●	●	●	●
<i>Pocket IME</i>					
Double Spelling (Shuang Pin) soft keyboard - Small	●	●	●	●	●
Locale					
<i>Chinese</i>	●	●	●	●	●
<i>Chinese (Macao S.A.R.)</i>	●	●	●	●	●
<i>Chinese (Macao S.A.R., radical/stroke sort)</i>	●	●	●	●	●
<i>Chinese (Macao S.A.R., stroke sort)</i>	●	●	●	●	●
<i>Chinese (PRC)</i>	●	●	●	●	●
<i>Chinese (PRC, stroke sort)</i>	●	●	●	●	●
<i>Chinese (Simplified)</i>	●	●	●	●	●
<i>Chinese (Singapore)</i>	●	●	●	●	●
<i>Chinese (Singapore, stroke sort)</i>	●	●	●	●	●
Mootype Imaging AC3 Font Compression					
UI Font					
<i>Microsoft YaHei</i>	●	●	●	●	●
<i>Microsoft YaHei Bold</i>	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Chinese (Traditional)					
East Asian Edit Control	●	●	●	●	●
East Asian Word Wrap	●	●	●	●	●
Input Method Editor					
<i>Pocket IME</i>	●	●	●	●	●
Input Methods					
<i>Input by Radical (Chang Jei)</i>	●	●	●	●	●
<i>Phonetic Input (Bopomofo)</i>	●	●	●	●	●
Locale					
<i>Chinese (Hong Kong S.A.R.)</i>	●	●	●	●	●
<i>Chinese (Hong Kong S.A.R., radical/stroke sort)</i>	●	●	●	●	●
<i>Chinese (Taiwan)</i>	●	●	●	●	●
<i>Chinese (Taiwan, Bopomofo sort)</i>	●	●	●	●	●
<i>Chinese (Taiwan, radical/stroke sort)</i>	●	●	●	●	●
<i>Chinese (Traditional)</i>	●	●	●	●	●
Mootype Imaging AC3 Font Compression	●	●	●	●	●
UI Font					
<i>Microsoft JhengHei</i>	●	●	●	●	●
<i>Microsoft JhengHei Bold</i>	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●

Corsican					
Locale					
<i>Corsican</i>	●	●	●	●	●
<i>Corsican (France)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Croatian					
Locale					
<i>Croatian</i>	●	●	●	●	●
<i>Croatian (Croatia)</i>	●	●	●	●	●
<i>Croatian (Latin, Bosnia and Herzegovina)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Czech					
Locale					
<i>Czech</i>	●	●	●	●	●
<i>Czech (Czech Republic)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Danish					
Locale					
<i>Danish</i>	●	●	●	●	●
<i>Danish (Denmark)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Dari					
Locale					
<i>Dari</i>	●	●	●	●	●
<i>Dari (Afghanistan)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Divehi					
Locale					
<i>Divehi</i>	●	●	●	●	●
<i>Divehi (Maldives)</i>	●	●	●	●	●
UI Font					
<i>MV Boli</i>	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Dutch					
Locale					
<i>Dutch</i>	●	●	●	●	●
<i>Dutch (Belgium)</i>	●	●	●	●	●
<i>Dutch (Netherlands)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
English					
Keyboard					
<i>US Dvorak Keyboard</i>	●	●	●	●	●
<i>US Qwerty Keyboard</i>	●	●	●	●	●
Locale					
<i>English</i>	●	●	●	●	●
<i>English (Australia)</i>	●	●	●	●	●
<i>English (Belize)</i>	●	●	●	●	●
<i>English (Canada)</i>	●	●	●	●	●
<i>English (Caribbean)</i>	●	●	●	●	●
<i>English (India)</i>	●	●	●	●	●
<i>English (Ireland)</i>	●	●	●	●	●
<i>English (Jamaica)</i>	●	●	●	●	●
<i>English (Malaysia)</i>	●	●	●	●	●
<i>English (New Zealand)</i>	●	●	●	●	●
<i>English (Philippines)</i>	●	●	●	●	●
<i>English (Singapore)</i>	●	●	●	●	●
<i>English (South Africa)</i>	●	●	●	●	●
<i>English (Trinidad and Tobago)</i>	●	●	●	●	●
<i>English (United Kingdom)</i>	●	●	●	●	●
<i>English (United States)</i>	●	●	●	●	●
<i>English (Zimbabwe)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●

<i>Segoe UI Bold</i>	●	●	●	●	●
Estonian					
Locale					
<i>Estonian</i>	●	●	●	●	●
<i>Estonian (Estonia)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Faroese					
Locale					
<i>Faroese</i>	●	●	●	●	●
<i>Faroese (Faroe Islands)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Filipino					
Locale					
<i>Filipino</i>	●	●	●	●	●
<i>Filipino (Philippines)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Finnish					
Locale					
<i>Finnish</i>	●	●	●	●	●
<i>Finnish (Finland)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
French					
Locale					
<i>French</i>	●	●	●	●	●
<i>French (Belgium)</i>	●	●	●	●	●
<i>French (Canada)</i>	●	●	●	●	●
<i>French (France)</i>	●	●	●	●	●
<i>French (Luxembourg)</i>	●	●	●	●	●
<i>French (Principality of Monaco)</i>	●	●	●	●	●
<i>French (Switzerland)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Frisian					
Locale					
<i>Frisian</i>	●	●	●	●	●
<i>Frisian (Netherlands)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Galician					
Locale					
<i>Galician</i>	●	●	●	●	●
<i>Galician (Galician)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Georgian				●	
Locale					
<i>Georgian</i>	●	●	●	●	●
<i>Georgian (Georgia)</i>	●	●	●	●	●
<i>Georgian (Georgia, modern)</i>	●	●	●	●	●
UI Font					
<i>Sylfaen</i>	●	●	●	●	●
German					
Locale					
<i>German</i>	●	●	●	●	●
<i>German (Austria)</i>	●	●	●	●	●
<i>German (Germany)</i>	●	●	●	●	●
<i>German (Germany, phone book sort)</i>	●	●	●	●	●
<i>German (Liechtenstein)</i>	●	●	●	●	●
<i>German (Luxembourg)</i>	●	●	●	●	●
<i>German (Switzerland)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Greek					
Locale					

Greek	●	●	●	●	●
Greek (Greece)	●	●	●	●	●
UI Font					
Segoe UI	●	●	●	●	●
Segoe UI Bold	●	●	●	●	●
Greenlandic					
Locale					
Greenlandic	●	●	●	●	●
Greenlandic (Greenland)	●	●	●	●	●
UI Font					
Segoe UI	●	●	●	●	●
Segoe UI Bold	●	●	●	●	●
Gujarati					
Keyboard					
Gujarati Keyboard	●	●	●	●	●
Locale					
Gujarati	●	●	●	●	●
Gujarati (India)	●	●	●	●	●
UI Font					
Shruti	●	●	●	●	●
Shruti Bold	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Hausa					
Locale					
Hausa	●	●	●	●	●
Hausa (Latin)	●	●	●	●	●
Hausa (Latin, Nigeria)	●	●	●	●	●
UI Font					
Segoe UI	●	●	●	●	●
Segoe UI Bold	●	●	●	●	●
Hebrew					
Keyboard					
Hebrew Keyboard	●	●	●	●	●
Locale					
Hebrew	●	●	●	●	●
Hebrew (Israel)	●	●	●	●	●
UI Font					
Tahoma	●	●	●	●	●
Tahoma Bold	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Hindi					
Keyboard					
Hindi Traditional Keyboard	●	●	●	●	●
Locale					
Hindi	●	●	●	●	●
Hindi (India)	●	●	●	●	●
UI Font					
Mangal	●	●	●	●	●
Mangal Bold	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Hungarian					
Locale					
Hungarian	●	●	●	●	●
Hungarian (Hungary)	●	●	●	●	●
Hungarian (Hungary, technical sort)	●	●	●	●	●
UI Font					
Segoe UI	●	●	●	●	●
Segoe UI Bold	●	●	●	●	●
Icelandic					
Locale					
Icelandic	●	●	●	●	●
Icelandic (Iceland)	●	●	●	●	●
UI Font					
Segoe UI	●	●	●	●	●
Segoe UI Bold	●	●	●	●	●
Igbo					
Locale					
Igbo	●	●	●	●	●
Igbo (Nigeria)	●	●	●	●	●
UI Font					
Segoe UI	●	●	●	●	●
Segoe UI Bold	●	●	●	●	●
Indonesian					
Locale					
Indonesian	●	●	●	●	●
Indonesian (Indonesia)	●	●	●	●	●

UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Inuktitut					
Locale					
<i>Inuktitut</i>	●	●	●	●	●
<i>Inuktitut (Latin)</i>	●	●	●	●	●
<i>Inuktitut (Latin, Canada)</i>	●	●	●	●	●
<i>Inuktitut (Syllabics)</i>	●	●	●	●	●
<i>Inuktitut (Syllabics, Canada)</i>	●	●	●	●	●
UI Font					
<i>Euphemia</i>	●	●	●	●	●
Irish					
Locale					
<i>Irish</i>	●	●	●	●	●
<i>Irish (Ireland)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
isiXhosa					
Locale					
<i>isiXhosa</i>	●	●	●	●	●
<i>isiXhosa (South Africa)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
isiZulu					
Locale					
<i>isiZulu</i>	●	●	●	●	●
<i>isiZulu (South Africa)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Italian					
Locale					
<i>Italian</i>	●	●	●	●	●
<i>Italian (Italy)</i>	●	●	●	●	●
<i>Italian (Switzerland)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Japanese					
East Asian Edit Control	●	●	●	●	●
East Asian Word Wrap	●	●	●	●	●
Input Method Editor (Choose 1)					
<i>IME 3.1</i>	●	●	●	●	●
IME 3.1 Database (Choose 1)					
Compact Database	●	●	●	●	●
Standard Database	●	●	●	●	●
Optional UI Components					
Dictionary Tool	●	●	●	●	●
Properties Dialog Box	●	●	●	●	●
Advanced Settings Dialog Box (Landscape mode only)	●	●	●	●	●
System Tray Icon Manager	●	●	●	●	●
<i>Pocket IME (Choose Additional Databases)</i>	●	●	●	●	●
Name/Place Database	●	●	●	●	●
Supplemental Database	●	●	●	●	●
Input Methods					
<i>All Characters List</i>	●	●	●	●	●
<i>Kana Soft Keyboard</i>	●	●	●	●	●
<i>Romaji/English Soft Keyboard</i>	●	●	●	●	●
<i>Search by Radical</i>	●	●	●	●	●
<i>Search by Stroke</i>	●	●	●	●	●
Keyboard					
<i>Japanese Keyboard - (NEC)</i>	●	●	●	●	●
<i>Japanese Keyboard - default (IBM)</i>	●	●	●	●	●
Locale					
<i>Japanese</i>	●	●	●	●	●
<i>Japanese (Japan)</i>	●	●	●	●	●
<i>Japanese (Japan, radical/stroke sort)</i>	●	●	●	●	●
Mootype Imaging AC3 Font Compression	●	●	●	●	●
UI Font					
<i>Meiryo & Meiryo UI</i>	●	●	●	●	●
<i>Meiryo Bold & Meiryo UI Bold</i>	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Kannada					

Keyboard					
<i>Kannada Keyboard</i>	●	●	●	●	●
Locale					
<i>Kannada</i>	●	●	●	●	●
<i>Kannada (India)</i>	●	●	●	●	●
UI Font					
<i>Tunga</i>	●	●	●	●	●
<i>Tunga Bold</i>	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Kazakh					
Locale					
<i>Kazakh</i>	●	●	●	●	●
<i>Kazakh (Kazakhstan)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Khmer					
Locale					
<i>Khmer</i>	●	●	●	●	●
<i>Khmer (Cambodia)</i>	●	●	●	●	●
UI Font					
<i>Khmer UI</i>	●	●	●	●	●
<i>Khmer UI Bold</i>	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
K'iche					
Locale					
<i>K'iche</i>	●	●	●	●	●
<i>K'iche (Guatemala)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Kinyarwanda					
Locale					
<i>Kinyarwanda</i>	●	●	●	●	●
<i>Kinyarwanda (Rwanda)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Kiswahili					
Locale					
<i>Kiswahili</i>	●	●	●	●	●
<i>Kiswahili (Kenya)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Konkani					
Locale					
<i>Konkani</i>	●	●	●	●	●
<i>Konkani (India)</i>	●	●	●	●	●
UI Font					
<i>Mangal</i>	●	●	●	●	●
<i>Mangal Bold</i>	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Korean					
East Asian Edit Control	●	●	●	●	●
East Asian Word Wrap	●	●	●	●	●
Input Method Editor					
<i>IME 97</i>	●	●	●	●	●
Input Methods					
<i>Korean Soft Keyboard Sample</i>	●	●	●	●	●
Keyboard					
<i>Korean Keyboard</i>	●	●	●	●	●
Locale					
<i>Korean</i>	●	●	●	●	●
<i>Korean (Korea)</i>	●	●	●	●	●
Mootype Imaging AC3 Font Compression	●	●	●	●	●
UI Font					
<i>Malgun Gothic</i>	●	●	●	●	●
<i>Malgun Gothic Bold</i>	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Kyrgyz					
Locale					
<i>Kyrgyz</i>	●	●	●	●	●
<i>Kyrgyz (Kyrgyzstan)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●

<i>Segoe UI Bold</i>	●	●	●	●	●
Lao					
Locale					
<i>Lao</i>	●	●	●	●	●
<i>Lao (Lao P.D.R.)</i>	●	●	●	●	●
UI Font					
<i>Lao UI</i>	●	●	●	●	●
<i>Lao UI Bold</i>	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Latvian					
Locale					
<i>Latvian</i>	●	●	●	●	●
<i>Latvian (Latvia)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Lithuanian					
Locale					
<i>Lithuanian</i>	●	●	●	●	●
<i>Lithuanian (Lithuania)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Lower Sorbian					
Locale					
<i>Lower Sorbian</i>	●	●	●	●	●
<i>Lower Sorbian (Germany)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Luxembourgish					
Locale					
<i>Luxembourgish</i>	●	●	●	●	●
<i>Luxembourgish (Luxembourg)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Macedonian					
Locale					
<i>Macedonian</i>	●	●	●	●	●
<i>Macedonian (Former Yugoslav Republic of Macedonia)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Malay					
Locale					
<i>Malay</i>	●	●	●	●	●
<i>Malay (Brunei Darussalam)</i>	●	●	●	●	●
<i>Malay (Malaysia)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Malayalam					
Locale					
<i>Malayalam</i>	●	●	●	●	●
<i>Malayalam (India)</i>	●	●	●	●	●
UI Font					
<i>Kartika</i>	●	●	●	●	●
<i>Kartika Bold</i>	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Maltese					
Locale					
<i>Maltese</i>	●	●	●	●	●
<i>Maltese (Malta)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Maori					
Locale					
<i>Maori</i>	●	●	●	●	●
<i>Maori (New Zealand)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Mapudungun					
Locale					

Mapudungun	●	●	●	●	●
Mapudungun (Chile)	●	●	●	●	●
UI Font					
Segoe UI	●	●	●	●	●
Segoe UI Bold	●	●	●	●	●
Marathi					
Keyboard					
Marathi Keyboard	●	●	●	●	●
Locale					
Marathi	●	●	●	●	●
Marathi (India)	●	●	●	●	●
UI Font					
Mangal	●	●	●	●	●
Mangal Bold	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Mohawk					
Locale					
Mohawk	●	●	●	●	●
Mohawk (Mohawk)	●	●	●	●	●
UI Font					
Segoe UI	●	●	●	●	●
Segoe UI Bold	●	●	●	●	●
Mongolian (Cyrillic)					
Locale					
Mongolian	●	●	●	●	●
Mongolian (Cyrillic)	●	●	●	●	●
Mongolian (Cyrillic, Mongolia)	●	●	●	●	●
UI Font					
Segoe UI	●	●	●	●	●
Segoe UI Bold	●	●	●	●	●
Mongolian (Traditional)					
Locale					
Mongolian (Traditional Mongolian)	●	●	●	●	●
Mongolian (Traditional Mongolian, PRC)	●	●	●	●	●
UI Font					
Mongolian Baiti	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Nepali					
Locale					
Nepali	●	●	●	●	●
Nepali (Nepal)	●	●	●	●	●
UI Font					
Mangal	●	●	●	●	●
Mangal Bold	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Norwegian					
Locale					
Norwegian	●	●	●	●	●
Norwegian, Bokmål	●	●	●	●	●
Norwegian, Bokmål (Norway)	●	●	●	●	●
Norwegian, Nynorsk	●	●	●	●	●
Norwegian, Nynorsk (Norway)	●	●	●	●	●
UI Font					
Segoe UI	●	●	●	●	●
Segoe UI Bold	●	●	●	●	●
Occitan					
Locale					
Occitan	●	●	●	●	●
Occitan (France)	●	●	●	●	●
UI Font					
Segoe UI	●	●	●	●	●
Segoe UI Bold	●	●	●	●	●
Oriya					
Locale					
Oriya	●	●	●	●	●
Oriya (India)	●	●	●	●	●
UI Font					
Kalinga	●	●	●	●	●
Kalinga Bold	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Pashto					
Locale					
Pashto	●	●	●	●	●
Pashto (Afghanistan)	●	●	●	●	●
UI Font					
Segoe UI	●	●	●	●	●

<i>Segoe UI Bold</i>	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Persian					
Locale					
<i>Persian</i>	●	●	●	●	●
<i>Persian (Iran)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Polish					
Locale					
<i>Polish</i>	●	●	●	●	●
<i>Polish (Poland)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Portuguese					
Locale					
<i>Portuguese</i>	●	●	●	●	●
<i>Portuguese (Brazil)</i>	●	●	●	●	●
<i>Portuguese (Portugal)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Punjabi					
Keyboard					
<i>Punjabi Keyboard</i>	●	●	●	●	●
Locale					
<i>Punjabi</i>	●	●	●	●	●
<i>Punjabi (India)</i>	●	●	●	●	●
UI Font					
<i>Raavi</i>	●	●	●	●	●
<i>Raavi Bold</i>	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Quechua					
Locale					
<i>Quechua</i>	●	●	●	●	●
<i>Quechua (Bolivia)</i>	●	●	●	●	●
<i>Quechua (Ecuador)</i>	●	●	●	●	●
<i>Quechua (Peru)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Romanian					
Locale					
<i>Romanian</i>	●	●	●	●	●
<i>Romanian (Romania)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Romansh					
Locale					
<i>Romansh</i>	●	●	●	●	●
<i>Romansh (Switzerland)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Russian					
Keyboard					
<i>Russian Keyboard</i>	●	●	●	●	●
Locale					
<i>Russian</i>	●	●	●	●	●
<i>Russian (Russia)</i>	●	●	●	●	●
UI Font					
<i>Segoe UI</i>	●	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●	●
Sami					
Locale					
<i>Sami, Inari</i>	●	●	●	●	●
<i>Sami, Inari (Finland)</i>	●	●	●	●	●
<i>Sami, Lule</i>	●	●	●	●	●
<i>Sami, Lule (Norway)</i>	●	●	●	●	●
<i>Sami, Lule (Sweden)</i>	●	●	●	●	●
<i>Sami, Northern</i>	●	●	●	●	●
<i>Sami, Northern (Finland)</i>	●	●	●	●	●

Sami, Northern (Norway)	●	●	●	●	●
Sami, Northern (Sweden)	●	●	●	●	●
Sami, Skolt	●	●	●	●	●
Sami, Skolt (Finland)	●	●	●	●	●
Sami, Southern	●	●	●	●	●
Sami, Southern (Norway)	●	●	●	●	●
Sami, Southern (Sweden)	●	●	●	●	●
UI Font					
Segoe UI	●	●	●	●	●
Segoe UI Bold	●	●	●	●	●
Sanskrit					
Locale					
Sanskrit	●	●	●	●	●
Sanskrit (India)	●	●	●	●	●
UI Font					
Mangal	●	●	●	●	●
Mangal Bold	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Scottish Gaelic					
Locale					
Scottish Gaelic	●	●	●	●	●
Scottish Gaelic (United Kingdom)	●	●	●	●	●
UI Font					
Segoe UI	●	●	●	●	●
Segoe UI Bold	●	●	●	●	●
Serbian					
Locale					
Serbian	●	●	●	●	●
Serbian (Cyrillic)	●	●	●	●	●
Serbian (Cyrillic, Bosnia and Herzegovina)	●	●	●	●	●
Serbian (Cyrillic, Montenegro)	●	●	●	●	●
Serbian (Cyrillic, Serbia and Montenegro (Former Yugoslav Republic of Macedonia))	●	●	●	●	●
Serbian (Cyrillic, Serbia)	●	●	●	●	●
Serbian (Latin)	●	●	●	●	●
Serbian (Latin, Bosnia and Herzegovina)	●	●	●	●	●
Serbian (Latin, Montenegro)	●	●	●	●	●
Serbian (Latin, Serbia and Montenegro (Former Yugoslav Republic of Macedonia))	●	●	●	●	●
Serbian (Latin, Serbia)	●	●	●	●	●
UI Font					
Segoe UI	●	●	●	●	●
Segoe UI Bold	●	●	●	●	●
Sesotho sa Leboa					
Locale					
Sesotho sa Leboa	●	●	●	●	●
Sesotho sa Leboa (South Africa)	●	●	●	●	●
UI Font					
Segoe UI	●	●	●	●	●
Segoe UI Bold	●	●	●	●	●
Setswana					
Locale					
Setswana	●	●	●	●	●
Setswana (South Africa)	●	●	●	●	●
UI Font					
Segoe UI	●	●	●	●	●
Segoe UI Bold	●	●	●	●	●
Sinhala					
Locale					
Sinhala	●	●	●	●	●
Sinhala (Sri Lanka)	●	●	●	●	●
UI Font					
Iskoola Pota	●	●	●	●	●
Iskoola Pota Bold	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Slovak					
Locale					
Slovak	●	●	●	●	●
Slovak (Slovakia)	●	●	●	●	●
UI Font					
Segoe UI	●	●	●	●	●
Segoe UI Bold	●	●	●	●	●
Slovenian					
Locale					
Slovenian	●	●	●	●	●
Slovenian (Slovenia)	●	●	●	●	●
UI Font					

Segoe UI	•	•	•	•	•
Segoe UI Bold	•	•	•	•	•
Spanish					
Locale					
Spanish	•	•	•	•	•
Spanish (Argentina)	•	•	•	•	•
Spanish (Bolivia)	•	•	•	•	•
Spanish (Chile)	•	•	•	•	•
Spanish (Colombia)	•	•	•	•	•
Spanish (Costa Rica)	•	•	•	•	•
Spanish (Dominican Republic)	•	•	•	•	•
Spanish (Ecuador)	•	•	•	•	•
Spanish (El Salvador)	•	•	•	•	•
Spanish (Guatemala)	•	•	•	•	•
Spanish (Honduras)	•	•	•	•	•
Spanish (Mexico)	•	•	•	•	•
Spanish (Nicaragua)	•	•	•	•	•
Spanish (Panama)	•	•	•	•	•
Spanish (Paraguay)	•	•	•	•	•
Spanish (Peru)	•	•	•	•	•
Spanish (Puerto Rico)	•	•	•	•	•
Spanish (Spain)	•	•	•	•	•
Spanish (Spain, traditional sort)	•	•	•	•	•
Spanish (United States)	•	•	•	•	•
Spanish (Uruguay)	•	•	•	•	•
Spanish (Venezuela)	•	•	•	•	•
UI Font					
Segoe UI	•	•	•	•	•
Segoe UI Bold	•	•	•	•	•
Swedish					
Locale					
Swedish	•	•	•	•	•
Swedish (Finland)	•	•	•	•	•
Swedish (Sweden)	•	•	•	•	•
UI Font					
Segoe UI	•	•	•	•	•
Segoe UI Bold	•	•	•	•	•
Syriac					
Locale					
Syriac	•	•	•	•	•
Syriac (Syria)	•	•	•	•	•
UI Font					
Estrangelo Edessa	•	•	•	•	•
Unicode Script Processor for Complex Scripts	•	•	•	•	•
Tajik					
Locale					
Tajik	•	•	•	•	•
Tajik (Cyrillic)	•	•	•	•	•
Tajik (Cyrillic, Tajikistan)	•	•	•	•	•
UI Font					
Segoe UI	•	•	•	•	•
Segoe UI Bold	•	•	•	•	•
Tamazight					
Locale					
Tamazight	•	•	•	•	•
Tamazight (Latin)	•	•	•	•	•
Tamazight (Latin, Algeria)	•	•	•	•	•
UI Font					
Ebrima	•	•	•	•	•
Ebrima Bold	•	•	•	•	•
Unicode Script Processor for Complex Scripts	•	•	•	•	•
Tamil					
Keyboard					
Tamil Keyboard	•	•	•	•	•
Locale					
Tamil	•	•	•	•	•
Tamil (India)	•	•	•	•	•
UI Font					
Latha	•	•	•	•	•
Latha Bold	•	•	•	•	•
Unicode Script Processor for Complex Scripts	•	•	•	•	•
Tatar					
Locale					
Tatar	•	•	•	•	•
Tatar (Russia)	•	•	•	•	•
UI Font					

Segoe UI	●	●	●	●	●
Segoe UI Bold	●	●	●	●	●
Telugu					
Keyboard					
Telugu Keyboard	●	●	●	●	●
Locale					
Telugu	●	●	●	●	●
Telugu (India)	●	●	●	●	●
UI Font					
Gautami	●	●	●	●	●
Gautami Bold	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Thai					
Keyboard					
Thai Kedmanee Keyboard	●	●	●	●	●
Locale					
Thai	●	●	●	●	●
Thai (Thailand)	●	●	●	●	●
UI Font					
Microsoft San Serif	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Tibetan					
Locale					
Tibetan	●	●	●	●	●
Tibetan (PRC)	●	●	●	●	●
UI Font					
Microsoft Himalaya	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Turkish					
Locale					
Turkish	●	●	●	●	●
Turkish (Turkey)	●	●	●	●	●
UI Font					
Segoe UI	●	●	●	●	●
Segoe UI Bold	●	●	●	●	●
Turkmen					
Locale					
Turkmen	●	●	●	●	●
Turkmen (Turkmenistan)	●	●	●	●	●
UI Font					
Segoe UI	●	●	●	●	●
Segoe UI Bold	●	●	●	●	●
Uighur					
Locale					
Uighur	●	●	●	●	●
Uighur (PRC)	●	●	●	●	●
UI Font					
Microsoft Uighur	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Ukrainian					
Locale					
Ukrainian	●	●	●	●	●
Ukrainian (Ukraine)	●	●	●	●	●
UI Font					
Segoe UI	●	●	●	●	●
Segoe UI Bold	●	●	●	●	●
Upper Sorbian					
Locale					
Upper Sorbian	●	●	●	●	●
Upper Sorbian (Germany)	●	●	●	●	●
UI Font					
Segoe UI	●	●	●	●	●
Segoe UI Bold	●	●	●	●	●
Urdu					
Locale					
Urdu	●	●	●	●	●
Urdu (Pakistan)	●	●	●	●	●
UI Font					
Segoe UI	●	●	●	●	●
Segoe UI Bold	●	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●	●
Uzbek					
Locale					
Uzbek	●	●	●	●	●
Uzbek (Cyrillic)	●	●	●	●	●
Uzbek (Cyrillic, Uzbekistan)	●	●	●	●	●

<i>Uzbek (Latin)</i>	•	•	•	•	•
<i>Uzbek (Latin, Uzbekistan)</i>	•	•	•	•	•
UI Font					
<i>Segoe UI</i>	•	•	•	•	•
<i>Segoe UI Bold</i>	•	•	•	•	•
Vietnamese					
Locale					
<i>Vietnamese</i>	•	•	•	•	•
<i>Vietnamese (Vietnam)</i>	•	•	•	•	•
UI Font					
<i>Segoe UI</i>	•	•	•	•	•
<i>Segoe UI Bold</i>	•	•	•	•	•
Unicode Script Processor for Complex Scripts	•	•	•	•	•
Welsh					
Locale					
<i>Welsh</i>	•	•	•	•	•
<i>Welsh (United Kingdom)</i>	•	•	•	•	•
UI Font					
<i>Segoe UI</i>	•	•	•	•	•
<i>Segoe UI Bold</i>	•	•	•	•	•
Wolof					
Locale					
<i>Wolof</i>	•	•	•	•	•
<i>Wolof (Senegal)</i>	•	•	•	•	•
UI Font					
<i>Segoe UI</i>	•	•	•	•	•
<i>Segoe UI Bold</i>	•	•	•	•	•
Yakut					
Locale					
<i>Yakut</i>	•	•	•	•	•
<i>Yakut (Russia)</i>	•	•	•	•	•
UI Font					
<i>Segoe UI</i>	•	•	•	•	•
<i>Segoe UI Bold</i>	•	•	•	•	•
Yi					
Locale					
<i>Yi</i>	•	•	•	•	•
<i>Yi (PRC)</i>	•	•	•	•	•
UI Font					
<i>Microsoft Yi Baiti</i>	•	•	•	•	•
Yoruba					
Locale					
<i>Yoruba</i>	•	•	•	•	•
<i>Yoruba (Nigeria)</i>	•	•	•	•	•
UI Font					
<i>Segoe UI</i>	•	•	•	•	•
<i>Segoe UI Bold</i>	•	•	•	•	•
Multilingual User Interface (MUI)	•	•	•	•	•
Internet Client Services					
Browser Application					
Flash10.1					
Adobe Flash 10.1 ActiveX Control			•		•
Internet Explorer 7.0 for Windows Embedded Compact - Standard Components					
Internet Explorer 7.0 Sample Browser			•		•
Internet Explorer 7.0 Silverlight for Windows Embedded			•		•
Internet Explorer 7.0 for Windows Embedded Compact Components					
Internet Explorer HTML/DHTML API			•		•
Filter and Transition			•		•
<i>MSFT DirectX Transforms</i>			•		•
Internet Explorer Plug-in Image Decoder API			•		•
<i>Internet Explorer PNG Image Decoder</i>			•		•
Internet Explorer Theme Library			•		•
<i>Internet Explorer Theme Library - Windows XP style</i>			•		•
Multiple-Language Base API	•	•	•	•	•
Internet Explorer RPC Support			•		•
URL Moniker Services	•		•		•
Windows Internet Services	•	•	•	•	•
Passport SSI 1.4 Authentication			•		•
XML Data Islands			•		•
XML MIME Viewer	•		•		•
Internet Options Control Panel			•		•
Internet Options Control Panel Silverlight for Windows Embedded			•		•
Scripting					
JScript 5.8			•		•

VBScript 5.8			●		●
Security					
Authentication Services (SSPI)	●	●	●	●	●
Kerberos	●	●	●	●	●
NTLM	●	●	●	●	●
Schannel (SSL/TLS)	●	●	●	●	●
Credential Manager	●	●	●	●	●
Cryptography API: Next Generation (CNG)	●	●	●	●	●
Cryptography Services (CryptoAPI 1.0) with High Encryption Provider	●	●	●	●	●
Certificates (CryptoAPI 2.0)	●	●	●	●	●
Diffie-Hellman/DSS Provider	●	●	●	●	●
Loader Verifier Module	●	●	●	●	●
Local Authentication Sub-System	●	●	●	●	●
Password Local Authentication Plug-in	●	●	●	●	●
Shell and User Interface					
Graphics, Windowing and Events					
Minimal GDI Configuration	●	●	●	●	●
Minimal GWES Configuration	●	●	●	●	●
Minimal Input Configuration	●	●	●	●	●
Minimal Window Manager Configuration	●	●	●	●	●
Window Compositor					
Window Compositor	●	●	●	●	●
Window Compositor Using Graphics Hardware	●	●	●	●	●
Touch Gestures					
Touch Gesture GWES component	●	●	●	●	●
Default Gesture Response	●	●	●	●	●
Gesture Animation Support	●	●	●		●
AYG Shell					
AYGShell API Set			●		●
Command Shell					
Command Processor	●	●	●	●	●
Console Window	●	●	●	●	●
Graphical Shell					
Sample Home Screen Silverlight for Windows Embedded		●	●		●
<i>Themes</i>					
Default Theme		●	●		●
Theme 1		●	●		●
Theme 2		●	●		●
Theme 3		●	●		●
Standard Shell	●	●	●		●
Windows Thin Client Shell				●	●
Screen configuration					
1920 x 1080p Landscape		●	●		●
640 x 480 Portrait		●	●		●
800 x 480 Landscape		●	●		●
Silverlight for Windows Embedded		●	●		●
User Interface					
Accessibility	●	●	●	●	●
Common Controls					
Animation Control	●	●	●	●	●
Common Control	●	●	●	●	●
Common Dialog Support	●	●	●	●	●
Control Panel Applets	●	●	●	●	●
Control Panel, Silverlight for Windows Embedded		●	●		●
Customizable UI					
Windows XP-like Sample Skin	●	●	●	●	●
Date Time Setting	●	●	●		●
Display Setting	●	●	●		●
Input Setting	●	●	●		●
Menu Tool Tip	●	●	●	●	●
Mouse	●	●	●	●	●
Network Connection Setting	●	●	●		●
Network User Interface	●	●	●	●	●
Overlapping Menus	●	●	●	●	●
Quarter VGA Resources - Portrait Mode	●	●	●	●	●
Regional Setting	●	●	●		●
Software Input Panel					
Software-based Input Panel (SIP) (Choose 1 or more)					
<i>SIP for Large Screens</i>		●	●		●
<i>SIP for Small Screens</i>		●	●		●
<i>SIP for Small Screens Silverlight for Windows Embedded</i>		●	●		●
Software-based Input Panel Driver		●	●		●
Sound Setting					

Touch Screen (Stylus)	●	●	●	●	●
Wi-Fi Setting	●	●	●		●
Windows Embedded Compact Error Reporting					
Error Report Generator	●	●	●	●	●
Error Report Transfer Driver	●	●	●	●	●
Error Reporting Control Panel	●	●	●	●	●
Report Upload Client	●	●	●	●	●
Report Upload Client User Interface	●	●	●	●	●

***Cellcore**

Windows Embedded Compact 7 includes a package of technologies collectively called Cellcore, which are available in all Compact 7 SKUs except C7T. You may include Cellcore or any of its components in your embedded system. For certain SKUs—identified in the table above where Cellcore is marked with an asterisk (*)—your device must adhere to the following conditions:

- (a) Cellcore must be limited to data use only, and
- (b) Cellcore may not be used to make voice calls over a cellular network. This limitation includes any indirect use of the voice capabilities of cellular networks via peripheral devices to make the voice call and/or the voice call connection.

For more information, please see the Windows Embedded Licensing Agreement or your Microsoft licensing representative. The specific conditions outlined above on the use of Cellcore are covered in AT 2733.

**All prices listed above are based on US dollars and are estimated retail prices which may vary by distributor.*

**Runtime pricing is based on purchase volume of one unit. Volume discounts are available. Local taxes, tariffs, and other costs may apply.*